

# Arrange Block Test Cases

## At Top, Taller Than Page (AKA No Fit)

Each block is at the top of a page, but each block is larger than the page, therefore the parent block always break.

## Admonitions, At Top, Taller Than Page, See Next Page









*Title of masquerading admonition block with nested blocks. This is title content. **This title content is bold on purpose! This title content is bold on purpose!** End of long title.*

**Masquerading admonition, at top, no fit, with anchor, long title, and nested blocks.** Paragraph in a masquerading admonition. This is content. This is content.

Paragraph in a masquerading admonition. This is content. This is content.

Paragraph in a delimited example block nested in a masquerading admonition block.  This is content. This is content.

```
<!-- This is a delimited source block. -->
```

```
<article>
```

```
<div>
```

```
<main>
```

```
<!-- This is awesome! -->
```

```
</main>
```

```
</div>
```

```
</article>
```

```
<!-- End of nested source block. -->
```

Paragraph in a delimited example block. This is content. End of nested example block.

NOTE

*Table 1. Title of table block with nested blocks*











*Title of delimited listing block*

Listing, at top, no fit, with an anchor and title.

This is a delimited listing block.

This is content.

This is content.

This is content.

This is content.

This is a delimited listing block.

This is content.

This is content.

This is content.

This is content.

This is a delimited listing block.

This is content.

This is content.

This is content.

This is content.

This is a delimited listing block.

This is content.

This is content.

This is content.

This is content.

This is a delimited listing block.

This is content.

This is content.

This is content.

This is content.

This is a delimited listing block.

This is content.

This is content.

This is content.

This is content.

End of listing.

*Title of delimited listing block with callouts*

Listing, at top, no fit, with an anchor, title, and callouts.

This is a delimited listing block.

This is content. ①

This is content.  
This is content.

This is content.

This is a delimited listing block. ②

This is content. ③

This is content.  
This is content.

This is content.

This is a delimited listing block.

This is content.

This is content.  
This is content.

This is content.

This is a delimited listing block.

This is content.

This is content.  
This is content.

This is content.

This is a delimited listing block.

This is content.

This is content.  
This is content.

This is content.

This is a delimited listing block.



## Title of delimited source block with an anchor and title

```
<!-- Source, at top, no fit, with an anchor and title. This is a delimited source block with an anchor, title, and syntax highlighting. -->
```

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>My Stuff</title>
<link rel="stylesheet" href="/assets/subfont/fonts-bdb05d6309.css">
<link rel="stylesheet" href="/assets/css/main.css">

<link rel="canonical" href="https://example.org/">
<meta property="og:url" content="https://example.org/">
<meta name="description" content="So much stuff!">
<meta property="og:description" content="So much stuff!">
<meta property="og:site_name" content="example.org">
<meta property="og:type" content="article">
<meta name="author" content="Me">
<meta name="og:article:author" content="Me">
<meta property="og:title" content="Stuff">
<meta name="twitter:card" content="summary_large_image">
<meta property="og:image" content="https://example.org/assets/img/stuff.png">
<meta property="og:image:height" content="1250">
<meta property="og:image:width" content="2500">

<link rel="apple-touch-icon" sizes="180x180" href="/assets/img/stuff-logo-apple-touch-180.png">
<link rel="icon" type="image/png" sizes="196x196" href="/assets/img/stuff-logo-196.png" />
<link rel="icon" type="image/png" sizes="192x192" href="/assets/img/stuff-logo-192.png" />
<link rel="icon" type="image/png" sizes="128x128" href="/assets/img/stuff-logo-128.png" />
<link rel="icon" type="image/png" sizes="96x96" href="/assets/img/stuff-logo-96.png" />
<link rel="icon" type="image/png" sizes="64x64" href="/assets/img/stuff-logo-64.png" />
<link rel="icon" type="image/png" sizes="32x32" href="/assets/img/stuff-logo-32.png" />
<link rel="icon" type="image/png" sizes="16x16" href="/assets/img/stuff-logo-16.png" />
<link rel="icon" type="image/svg+xml" href="/assets/img/stuff-logo.svg">
<link rel="icon" type="image/png" href="/assets/img/stuff-logo-48.png">
<link rel="shortcut icon" href="/assets/img/favicon.ico">
<link rel="manifest" href="/manifest.json">
<link rel="mask-icon" href="/assets/img/stuff-logo-mask.svg" color="#1f8197">
<meta name="msapplication-TileColor" content="#1f8197">
<meta name="theme-color" content="#1f8197">
```

```
</head>
```

```
<article>
```

```
  <div>
```

```
    <main>
```

```
      <!-- This is awesome! -->
```

```
      <!-- This is comment content. -->
```

```
    <div>
```

```
      <address>
```

```
        <!-- This is comment content. -->
```

```
      </address>
```

```
    </div>
```

```
    <div>
```

```
      <section>
```

```
        <!-- This is comment content. -->
```

```
      </section>
```

```
    </div>
```

```
  </main>
```

```
</div>
```

```
</article>
```

```
<!-- End of source. -->
```

## Title of delimited source block with callouts

```
/** This is a delimited source block with an anchor, title, syntax highlighting, and callouts. */
```

```
(function () {  
  function init$5() {  
    const e = document.querySelector('.header > nav > .navbar-mobile'),  
      t = e.querySelector(':scope > .close'),  
      n = e.querySelector(':scope > .open'),  
      r = document.querySelector('.header > nav > .menu');  
    t.addEventListener('click', (() =>{  
      r.classList.remove('is-active'),  
      e.classList.remove('navbar-open')  
    })),  
    n.addEventListener('click', (() =>{  
      r.classList.add('is-active'),  
      e.classList.add('navbar-open')  
    })))  
  }  
  function init$4() {  
    const e = window.location.hash;  
    function t(e) {  
      const t = this.tab,  
        r = this.pane,  
        i = this.id,  
        a = this.tabset;  
      if (i && a) {  
        const e = a.querySelector('.select > select');  
        e && (e.value = i)  
      }  
      n(':scope > .tabs li', this.tabset).forEach((function (e) {  
        e === t ? e.classList.add('is-active') : e.classList.remove('is-active') ①  
      })),  
      n(':scope > .content > .tab-pane', this.tabset).forEach((function (e) {  
        e === r ? e.classList.add('is-active') : e.classList.remove('is-active')  
      })),  
      e.preventDefault()  
    }  
    function n(e, t) {  
      return Array.prototype.slice.call((t || document).querySelectorAll(e))  
    }  
    function r(e, t) {  
      return n('.tab-pane', t).find((function (t) {  
        return t.getAttribute('aria-labelledby') === e  
      })))  
    }  
    n('.tabset').forEach((function (i) {  
      let a;  
      const o = i.querySelector('.tabs');  
      if (o) {
```





*Title of delimited literal block*

Literal, at top, no fit, with an anchor and title.

This is content.

Content that's taking a trip  
around, and  
around, and around, and around the proverbial block.

WARN - ctionSystem.impl.ActionUpdater - 447 ms to grab EDT for  
ToggleSoftWrapsAction#update (org.stuff.something.actions.stuff.ToggleSoftWrapsAction)

WARN: Do not use URL connection as JarURLConnection  
WARN: Do not use URL connection as JarURLConnection

HAMMER TIME!

WARN: Do not use URL connection as JarURLConnection  
WARN: Do not use URL connection as JarURLConnection

HAMMER TIME!

WARN: Do not use URL connection as JarURLConnection  
WARN: Do not use URL connection as JarURLConnection  
WARN: Do not use URL connection as JarURLConnection  
WARN: Do not use URL connection as JarURLConnection

WARN: Do not use URL connection as JarURLConnection  
WARN: Do not use URL connection as JarURLConnection  
WARN: Do not use URL connection as JarURLConnection  
WARN: Do not use URL connection as JarURLConnection  
WARN: Do not use URL connection as JarURLConnection

HAMMER TIME!

WARN: Do not use URL connection as JarURLConnection  
WARN: Do not use URL connection as JarURLConnection  
WARN: Do not use URL connection as JarURLConnection  
WARN: Do not use URL connection as JarURLConnection

End of literal.























Admonition content. Admonition content. Admonition content.  
Admonition content. Admonition content. Admonition content. End  
of admonition.

This content is attached to the description of term 1 using a list continuation. This is  
content. This is content. End of term 1 description.

## term 2

### **WARNING**

The description of term 2 starts with this admonition. The entire  
description of term 2 is attached to the term using an open block.  
Admonition content. Admonition content. Admonition content.  
Admonition content. Admonition content. Admonition content.  
Admonition content. Admonition content. End of admonition.

Description of term 2, paragraph 1, that's attached to the term using an open block.

- [Title of nested delimited example block](#)
- [Title of nested delimited quote block](#)
- [Title of delimited sidebar block with nested blocks](#)



Description of term 2, paragraph 2. End of term 2 description and enclosing open block.

Paragraph in a delimited sidebar block. End of sidebar.

## Tables, At Top, No Fit, See Next Page




<b>Column 1, header row</b>	<b>Column 2, header row</b>	<b>Column 3, header row</b>	<b>Column 4, header row</b>
Cell in column 1, row 6	Cell in column 2, row 6	Cell in column 3, row 6	Cell in column 4, row 6
Cell in column 1, row 7	Cell in column 2, row 7	Cell in column 3, row 7	Cell in column 4, row 7
Cell in column 1, row 8	Cell in column 2, row 8	Cell in column 3, row 8	Cell in column 4, row 8
Cell in column 1, row 9	Cell in column 2, row 9	Cell in column 3, row 9	Cell in column 4, row 9
Cell in column 1, row 10	Cell in column 2, row 10	Cell in column 3, row 10	Cell in column 4, row 10. <b>End of table.</b>

Table 3. Title of table block with nested blocks


Column Name	Column Name	Column Name
<p>Table, at top, no fit, with a title, anchor, and blocks in cells.</p>	<p>Check out this source code.</p> <pre data-bbox="582 286 1010 972"> &lt;!-- Delimited source block nested in table cell. --&gt;  &lt;article&gt;   &lt;div&gt;     &lt;main&gt;        &lt;!-- This is awesome! --&gt;      &lt;/main&gt;   &lt;/div&gt; &lt;/article&gt;  &lt;!-- End of source. --&gt; </pre> <p>This is content. This is content. This is content.</p>	 <p><i>Figure 1. Title of image in a table cell</i></p>
<p>This content is horizontally centered because the cell specifier includes the ^ operator.</p>	<p>There isn't a horizontal alignment operator on this cell specifier, so the cell falls back to the default horizontal alignment. Content is aligned to the left side of the cell by default.</p>	<p>This is content. This is content. This is content. This is content. This is content.</p>








**Block image, at top, no fit. pdfwidth = 120mm.**



**Block image, at top, no fit, with an anchor. pdfwidth = 120mm, centered.**




*Figure 2. This is a block image with an anchor and a title*

**Block image, at top, no fit, with an anchor and title. pdfwidth = 120mm, aligned right. [Check anchor of previous image \(block image with anchor\)](#).**




Block image, at top, no fit, with a title. pdfwidth = 120mm. Check anchor of "[This is a block image with an anchor and a title](#)".





**Block image, at top, no fit, nested in example block. pdfwidth = 120mm.**





*Figure 4. Title of a block image nested in a sidebar*

**Block image, at top, no fit, with anchor and title, nested in sidebar block. pdfwidth = 120mm.**

Content in table cell

**Block image, at top, no fit, with anchor and title, nested in table cell. pdfwidth = 120mm.**