

# **Arrange Block Test Cases**

## **At Top, Fits**

Each block is at the top of page and fits on that page.

## **Admonitions, At Top, Fits, See Next Page**







**IMPORTANT**

*Pay attention to me right NOW!!!*

**Admonition, at top, fits, with title.** This is fabulously, fantastically, and fiercely important! This is content. [Check anchor of previous warning admonition.](#) End of admonition.

## **Masquerading Admonition Blocks, At Top, Fits, See Next Page**





## IMPORTANT

*This is fabulously, fantastically, and fiercely important!*

**Masquerading admonition, at top, fits, with anchor and title.** Paragraph 1. This is content. This is content.

Paragraph 2 in a masquerading admonition. [Check anchor of previous masquerading note admonition.](#) End of masquerading admonition.

## IMPORTANT

*This is fabulously, fantastically, and fiercely important!*


Masquerading admonition, at top, fits, with title. Paragraph 1. This is content. This is content.

Paragraph 2 in a masquerading admonition. [Check anchor of previous masquerading important admonition](#). End of masquerading admonition.

Masquerading admonition, at top, fits, with anchor and nested blocks.

Paragraph 1. This is content. This is content. This is content. This is content.

Paragraph 1 in a delimited example block nested in a masquerading admonition block.



This is content. This is content.

```
<!-- This is a delimited source block with an anchor and
syntax highlighting. -->
```

```
<article>
  <div>
    <main>
```

```
      <!-- This is awesome! -->
```

```
    </main>
  </div>
</article>
```

```
<!-- End of nested source block. -->
```

Paragraph 2 in a delimited example block nested in masquerading admonition block. This is content. *End of nested example block.*

Paragraph 2 in a masquerading admonition block. This is content. End of masquerading admonition.

IMPORTANT

*Title of masquerading admonition block with nested blocks*

Masquerading admonition, at top, fits, with anchor, title, and nested blocks.

Paragraph 1. This is content. This is content.

Paragraph 1 in a delimited example block.  This is content. This is content.

```
<!-- This is a delimited source block with an anchor and
syntax highlighting. -->
```

```
<article>
  <div>
    <main>
```

```
      <!-- This is awesome! -->
```

```
    </main>
  </div>
</article>
```

```
<!-- End of nested source block. -->
```

Paragraph 2 in a delimited example block. This is content. This is content. This is content. This is content. End of nested example block.

Paragraph 2 in a masquerading admonition block. This is content. This is content. This is content. This is content. [Check anchor of previous masquerading important admonition with nested blocks.](#) [Check nested source block in previous masquerading admonition.](#) End of masquerading admonition.

**IMPORTANT**

*Title of masquerading admonition block with nested blocks*

**Masquerading admonition, at top, fits, with title and nested blocks.** Paragraph 1 in a masquerading admonition block. This is content. This is content.

Paragraph 1 in a delimited example block nested in masquerading admonition block. [Check anchor of previous masquerading admonition with nested blocks.](#) [Check nested source block in previous masquerading admonition.](#)

```
<!-- This is a delimited source block with syntax highlighting. -->

<article>
  <div>
    <main>

      <!-- This is awesome! -->

    </main>
  </div>
</article>

<!-- End of nested source block. -->
```

**NOTE**

Paragraph 2 in a nested delimited example block. This is content. [Check the next admonition block's anchor.](#) End of nested example block.

Paragraph 2 in a masquerading admonition block. This is content. End of masquerading admonition.

CAUTION

*Title of masquerading admonition block. This is title content. **This title content is bold on purpose! This title content is bold on purpose! End of long title.***

Masquerading admonition, at top, fits, with anchor and too-long title. Paragraph 1.

Paragraph 2 in a masquerading admonition. End of masquerading admonition.

## Example Blocks, At Top, Fits, See Next Page





*Example 1. Title of delimited example block with list*

Paragraph 1 in a delimited example block. **Example, at top, fits, with anchor and title.** This is content. This is content.

*Title of list*

- List item
- List item
  - a. List item
    - i. List item
- List item
- Last list item and end of example block



**Example, at top, fits, with nested blocks.** Delimited example block ends directly after nested sidebar ends.

## Title of delimited sidebar block

*Title of delimited source block with callouts*

```
/** This is a delimited source block with an anchor, title, syntax
highlighting, and callouts that's nested in a sidebar that's nested in an
example. */

function createExtensionRegistry (Asciidoctor, callbacks) { ①
  const registry = Asciidoctor.Extensions.create()
  registry.includeProcessor(IncludeProcessor.$new(callbacks.onInclude))
  return registry ②
}

module.exports = createExtensionRegistry ③

/** End of source. */
```

- ① Source callout 1 content. Callout content. End of source callout 1.
- ② Source callout 2 content. End of source callout 2.
- ③ Source callout 3 content for the big disco WIN! Who loves disco? We love disco! **Who loves disco? We love disco!** End of source callout 3.

Paragraph in a delimited sidebar block. This is content. This is content.



Paragraph in a delimited sidebar block. This is content. [Check anchor of nested sidebar.](#) [Check anchor of nested source block.](#) End of nested sidebar.

Example, at top, fits, with anchor and nested blocks. Paragraph 1 in a delimited example block.

## Title of delimited sidebar block nested in an example block



Paragraph 1 in a delimited sidebar block. This is content. This is content.

*Title of delimited source block with callouts*

```
/** This is a delimited source block with a title, syntax highlighting, and callouts that's nested in a sidebar that's nested in an example. */
```

```
function createExtensionRegistry (Asciidoctor, callbacks) { ①  
  const registry = Asciidoctor.Extensions.create()  
  registry.includeProcessor(IncludeProcessor.$new(callbacks.onInclude))  
  return registry ②  
}
```

```
/** End of source. */
```

- ① Source callout 1 content. Callout content. Callout content. Callout content. Callout content. Callout content. End of source callout 1.
- ② Source callout 2 content for the big disco WIN! Who loves disco? We love disco! **Who loves disco? We love disco!** End of source callout 2.

Nested delimited example block. This is content. This is content. This is content. [Check anchor of parent example block](#). End of nested example.

*Title of delimited literal block with callouts*

```
This is a delimited literal block with an anchor, title, and callouts that's nested in a sidebar that's nested in an example. ①  
  
End of  
nested literal.
```

- ① Literal callout content. **End of literal callout.**

Paragraph 2 in a delimited sidebar block. End of nested sidebar.

Paragraph 2 in a delimited example block. This is content. This is content. This is content. This is content. End of example.

Example 3. Title of delimited example block with nested blocks

Example, at top, fits, with anchor and title and nested blocks. Paragraph 1 in a delimited example block.

### Title of delimited sidebar block nested in an example block

Paragraph 1 in a delimited sidebar block. **Sidebar block has an anchor, title, and nested blocks.** This is content. This is content.

#### *Title of delimited literal block with callouts*

This is a delimited literal block with an anchor, title, and callouts that's nested in a sidebar that's nested in an example.

This is content. ①  
This is content. ②

End of literal.

① Literal callout 1 content. End of literal callout 1.

② Literal callout 2 content. Callout 2 content. Callout 2 content. End of literal callout 2.

Paragraph 2 in a delimited sidebar block. This is content. This is content.

Paragraph 1 in a delimited example block nested in a sidebar nested in another example block.



Paragraph 2 in a nested delimited example block. End of nested example.

Paragraph 3 in a delimited sidebar block. End of nested sidebar.

Paragraph 2 in a delimited example block. [Check nested literal anchor.](#) [Check nested sidebar anchor.](#) Check [Title of delimited example block with nested blocks.](#) This is content. This is content. End of example.

Example 4. Title of delimited example block with nested blocks

Example, at top, fits, with title and nested blocks. Delimited example block ends directly after nested sidebar ends.

### Title of delimited sidebar block with an anchor that's nested in example block

*Title of delimited source block with callouts*

```
/** This is a delimited source block with a title, syntax highlighting, and
callouts that's nested in a sidebar that's nested in an example. */

function createExtensionRegistry (Asciidoctor, callbacks) { ①
  const registry = Asciidoctor.Extensions.create()
  registry.includeProcessor(IncludeProcessor.$new(callbacks.onInclude))
  return registry ②
}

module.exports = createExtensionRegistry ③

/** End of source. */
```

- ① Source callout 1 content. Callout content. End of source callout 1.
- ② Source callout 2 content. End of source callout 2.
- ③ Source callout 3 content for the big disco WIN! Who loves disco? We love disco! **Who loves disco? We love disco!** End of source callout 3.

Check [Title of delimited sidebar block with an anchor that's nested in example block](#). Paragraph 1 in a delimited sidebar block. This is content. End of nested sidebar. End of example block directly following.

## Listing Blocks, At Top, Fits, See Next Page

Listing, at top, fits.

This is a delimited listing block.

This is content.

This is content.

This is content.

This is content.

End of listing.

Listing, at top, fits, with an anchor.

This is a delimited listing block.

This is content.

This is content.

This is content.

This is content.

End of listing.

*Title of delimited listing block*

Listing, at top, fits, with an anchor and title.

This is a delimited listing block.

This is content.

This is content.

This is content.

This is content.

End of listing.

*Title of delimited listing block*

Listing, at top, fits, with a title.

This is a delimited listing block.

This is content.

This is content.

This is content.

This is content.

End of listing.

Listing, at top, fits, with nested block.

This is a delimited listing block.

    This is content.

        This is content.

            This is content.

[source, javascript]

-----

```
/** This is a delimited source block nested in a listing block. */
```

```
const IncludeProcessor = require('./include/include-processor')
```

```
function createExtensionRegistry (Asciidoctor, callbacks) {  
  const registry = Asciidoctor.Extensions.create()  
  registry.includeProcessor(IncludeProcessor.$new(callbacks.onInclude))  
  return registry  
}
```

```
module.exports = createExtensionRegistry
```

```
/** End of nested source. */
```

-----

End of listing.

Listing, at top, fits, with an anchor and nested block.

This is a delimited listing block.

    This is content.

        This is content.

            This is content.

[source, javascript]

-----

```
/** This is a delimited source block nested in a listing block. */
```

```
const IncludeProcessor = require('./include/include-processor')
```

```
function createExtensionRegistry (Asciidoctor, callbacks) {  
  const registry = Asciidoctor.Extensions.create()  
  registry.includeProcessor(IncludeProcessor.$new(callbacks.onInclude))  
  return registry  
}
```

```
module.exports = createExtensionRegistry
```

```
/** End of nested source. */
```

-----

End of listing.

*Title of delimited listing block*

Listing, at top, fits, with an anchor, title, and nested block.

This is a delimited listing block.

    This is content.

        This is content.

            This is content.

[source, javascript]

-----

```
/** This is a delimited source block nested in a listing block. */
```

```
const IncludeProcessor = require('./include/include-processor')
```

```
function createExtensionRegistry (Asciidoctor, callbacks) {
```

```
  const registry = Asciidoctor.Extensions.create()
```

```
  registry.includeProcessor(IncludeProcessor.$new(callbacks.onInclude))
```

```
  return registry
```

```
}
```

```
module.exports = createExtensionRegistry
```

```
/** End of nested source. Parent listing ends directly following closing delimiter.*/
```

-----

### *Title of delimited listing block*

Listing, at top, fits, with a title and nested block.

This is a delimited listing block.

    This is content.

        This is content.

            This is content.

[source, javascript]

-----

```
/** This is a delimited source block nested in a listing block. */
```

```
const IncludeProcessor = require('./include/include-processor')
```

```
function createExtensionRegistry (Asciidoctor, callbacks) {  
  const registry = Asciidoctor.Extensions.create()  
  registry.includeProcessor(IncludeProcessor.$new(callbacks.onInclude))  
  return registry  
}
```

```
module.exports = createExtensionRegistry
```

```
/** End of nested source. Parent listing ends directly following closing delimiter.*/
```

-----

## **Source Blocks, At Top, Fits, See Next Page**

```
<!-- Source, at top, fits.-->
```

```
<article>
```

```
  <div>
```

```
    <main>
```

```
      <!-- This is awesome! -->
```

```
    </main>
```

```
  </div>
```

```
</article>
```

```
<!-- End of nested source block. -->
```

```
<!-- Source, at top, fits, with anchor. -->
```

```
<article>
```

```
<div>
```

```
<main>
```

```
<!-- This is awesome! -->
```

```
</main>
```

```
</div>
```

```
</article>
```

```
<!-- End of nested source block. -->
```

*Title of delimited source block*

```
/** Source, at top, fits, with anchor and title. */

const IncludeProcessor = require('./include/include-processor')

/** This is content.
 * This is content.
 */

function createExtensionRegistry (Asciidoctor, callbacks) {
  const registry = Asciidoctor.Extensions.create()
  registry.includeProcessor(IncludeProcessor.$new(callbacks.onInclude))
  return registry
}

/** This is content.
 * This is content.
 */

module.exports = createExtensionRegistry

/** End of source. */
```

## Title of delimited source block with callouts

```
/** Source, at top, fits, with and anchor, title, and callouts. */  
  
const IncludeProcessor = require('./include/include-processor')  
  
/** This is content.  
 * This is content.  
 */  
  
function createExtensionRegistry (Asciidoctor, callbacks) { ①  
  const registry = Asciidoctor.Extensions.create()  
  registry.includeProcessor(IncludeProcessor.$new(callbacks.onInclude))  
  return registry ②  
}  
  
/** This is content.  
 * This is content.  
 */  
  
module.exports = createExtensionRegistry ③  
  
/** End of source. */
```

- ① Source callout 1 content. Callout content. End of source callout 1.
- ② Source callout 2 content. End of source callout 2.
- ③ Source callout 3 content for the big disco WIN! Who loves disco? We love disco! **Who loves disco? We love disco!** Who loves disco? We love disco! Who loves disco? We love disco! End of source callout 3.

*Title of delimited source block*

```
<!-- Source, at top, fits, with title. -->
```

```
<article>
```

```
  <div>
```

```
    <main>
```

```
      <!-- This is awesome! -->
```

```
    </main>
```

```
  </div>
```

```
</article>
```

```
<!-- End of source. -->
```

Source, at top, fits, with nested blocks.

This is a delimited source block. More content. This is content. This is content. This is content.

[IMPORTANT]

====

Paragraph 1 of a masquerading admonition block nested in a source block. This happens when I document AsciiDoc with AsciiDoc.

[quote]

----

This is a quote block.

Oh, my, goodness! \_Is this really a thing?\_

This is really a thing, my friend. End of nested quote.

----

Paragraph 2 of a masquerading admonition block. End of masquerading admonition. Source block ends directly after admonition block.

====

Source, at top, fits, with an anchor and nested blocks.

This is a delimited source block. More content. This is content. This is content. This is content.

[IMPORTANT]

====

Paragraph 1 of a masquerading admonition block nested in a source block. This happens when I document AsciiDoc with AsciiDoc.

[quote]

----

This is a quote block.

Oh, my, goodness! \_Is this really a thing?\_

This is really a thing, my friend. End of nested quote.

----

Paragraph 2 of a masquerading admonition block. End of masquerading admonition. Source block ends directly after admonition block.

====

*Title of delimited source block with nested blocks*

Source, at top, fits, with an anchor, title, and nested blocks.

This is a delimited source block. More content. This is content. This is content. This is content.

[IMPORTANT]

====

Paragraph 1 of a masquerading admonition block nested in a source block. This happens when I document AsciiDoc with AsciiDoc.

[quote]

----

This is a quote block.

Oh, my, goodness! \_Is this really a thing?\_

This is really a thing, my friend. End of nested quote.

----

Paragraph 2 of a masquerading admonition block. End of masquerading admonition.

====

End of source.



### *Title of delimited source block with nested blocks*

Source, at top, fits, with a title and nested blocks.

This is a delimited source block. More content. This is content. This is content. This is content.

[IMPORTANT]

====

Paragraph 1 of a masquerading admonition block nested in a source block. This happens when I document AsciiDoc with AsciiDoc.

[quote]

----

This is a quote block.

Oh, my, goodness! \_Is this really a thing?\_

This is really a thing, my friend. End of nested quote.

----

Paragraph 2 of a masquerading admonition block. End of masquerading admonition.

====

End of source.

## **Literal Blocks, At Top, Fits, See Next Page**

Literal, at top, fits.

A delimited literal block.

This is content.

Content that's taking a trip  
around, and  
around, and around, and around the proverbial block.

End of literal.

Literal, at top, fits, with anchor.

A delimited literal block.  
This is content.

End of literal.

*Title of a delimited literal block*

Literal, at top, fits, with anchor and title.

A delimited literal block.

This is content hanging around the middle.

End of literal.





*Title of a delimited literal block*

Literal, at top, fits, with a title.

This is content.

Content that's taking a trip  
around, and  
around, and around, and around the proverbial block.

End of literal.

Literal, at top, fits, with nested blocks.

This is content.

Content that's taking a trip  
around, and  
around, and around, and around the proverbial block.

----

This is a delimited listing block in a literal block.  
It's getting weird in here.

\*\*\*\*

This is a delimited sidebar block nested in a listing block that's nested in a literal  
block.

Now it's just awkward.

End of nested sidebar.

\*\*\*\*

End of listing.

----

End of literal.

Literal, at top, fits, with an anchor and nested blocks.

This is content.

Content that's taking a trip  
around, and  
around, and around, and around the proverbial block.

----

This is a delimited listing block in a literal block.  
It's getting weird in here.

\*\*\*\*

This is a delimited sidebar block nested in a listing block that's nested in a literal  
block.

Now it's just awkward.

End of nested sidebar.

\*\*\*\*

End of listing.

----

End of literal.

*Title of delimited literal block with nested blocks*

Literal, at top, fits, with an anchor, title, and nested blocks.

This is content.

Content that's taking a trip  
around, and  
around, and around, and around the proverbial block.

----

This is a delimited listing block in a literal block.  
It's getting weird in here.

\*\*\*\*

This is a delimited sidebar block nested in a listing block that's nested in a literal  
block.

Now it's just awkward.

End of nested sidebar.

\*\*\*\*

End of listing.

----

End of literal.

*Title of delimited literal block with callouts and nested blocks*

Literal, at top, fits, with an anchor, title, callouts, and nested blocks.

This is content.

Content that's taking a trip  
around, and  
around, and around, and around the proverbial block. ①

----

This is a delimited listing block in a literal block.  
It's getting weird in here.

\*\*\*\*

This is a delimited sidebar block nested in a listing block that's nested in a literal  
block.

Now it's just awkward. ②

End of nested sidebar.

\*\*\*\*

End of listing.

----

End of literal.

- ① Literal callout 1 content. Callout content. Callout content. Callout content. Callout content.  
Callout content. Callout content. Callout content. Callout content. Callout content. Callout  
content. Callout content. Callout content. Callout content. Callout content. Callout content.  
Callout content. End of literal callout 1.
- ② Literal callout 2 content. Callout content. Callout content. Callout content. Callout content. End of  
literal callout 2.

*Title of delimited literal block with nested blocks*

Literal, at top, fits, with a title and nested blocks.

This is content.

Content that's taking a trip  
around, and  
around, and around, and around the proverbial block.

----

This is a delimited listing block in a literal block.  
It's getting weird in here.

\*\*\*\*

This is a delimited sidebar block nested in a listing block that's nested in a literal  
block.

Now it's just awkward.

End of nested sidebar.

\*\*\*\*

End of listing. End of literal directly after listing.

----

## **Open Blocks, At Top, Fits, See Next Page**











Open, at top, fits, with an anchor, nested blocks, and list. Paragraph 1 in a delimited open block.

1. List item
  - a. List item
    - i. List item
      - A. List item
2. List item
  - a. List item
    - i. Last list item

Paragraph 2 in a delimited open block.

Paragraph 1 in a delimited example block nested in an open block with a nested quote block and an admonition.

This is a nested quote block.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

Are we there yet? End of nested quote.



Paragraph 2 in a delimited example block nested in an open block. This is content. This is content.

**TIP**

The Sun rotates in the opposite direction to Earth, from west to east. This may or may not affect the kitchen sink and the infinite loop every other odd week. End of nested admonition.

Paragraph 3 in a delimited example block nested in an open block. This is content. [Check nested quote block anchor](#). [Check parent open block anchor](#). End of nested example. End of open block directly following end of nested example block.

*Title of delimited open block with nested blocks and description list*

Open, at top, fits, with an anchor, title, nested blocks, and description list. This is a delimited open block.

### **term 1**

Description of term 1. This is content. End of term 1 description.

### **term 2**

Description of term 2.  End of term 2 description.

*Example 5. Title of delimited example block nested in an open block*

#### **TIP**

The Sun rotates in the opposite direction to Earth, from west to east. This may or may not affect the kitchen sink and the infinite loop every other odd week. End of nested admonition.

Paragraph 1 in a delimited example block nested in an open block with a nested quote block and an admonition.

*Title of delimited quote block nested in example nested in open*

This is a nested quote block with an anchor and title.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

Are we there yet? End of nested quote.

Paragraph 2 in a delimited example block nested in an open block. This is content. End of nested example.

[Title of delimited quote block nested in example nested in open. Check parent open block anchor.](#)  
End of open.



**Quote Blocks, At Top, Fits, See Next Page**

**Quote, at top, fits.** This is a delimited quote block.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

Are we there yet? End of quote.

**Quote, at top, fits, with metadata.** This is a delimited quote block with metadata.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

Are we there yet? End of quote.

— Who Said This?, When and where did they say it?

Quote, at top, fits, with an anchor. This is a delimited quote block.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

Are we there yet? End of quote.

Quote, at top, fits, with an anchor and metadata. This is a delimited quote block.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

Are we there yet? [Check previous quote block anchor](#). End of quote.

— Who Said This?, When and where did they say it?

*Title of delimited quote block*

Quote, at top, fits, with an anchor and title. This is a delimited quote block.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

Are we there yet? End of quote.

*Title of delimited quote block with metadata*

**Quote, at top, fits, with an anchor, title, and metadata.** This is a delimited quote block with metadata.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

Are we there yet? End of quote.

— Who Said This?, When and where did they say it?



*Title of delimited quote block*

**Quote, at top, fits, with a title.** This is a delimited quote block.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

Are we there yet? End of quote.

*Title of delimited quote block with metadata*

Quote, at top, fits, with a title and metadata. This is a delimited quote block with metadata.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

Are we there yet? End of quote.

— Who Said This?, When and where did they say it?

## **Sidebar Blocks, At Top, Fits, See Next Page**











Sidebar, at top, fits, with an anchor and nested blocks.

```
<p>This is a source paragraph nested in a delimited sidebar block.</p>
</main>
</div>
</article>
```

Paragraph in a delimited sidebar block. This is content. This is content.

Paragraph 1 in a **masquerading admonition block with an anchor and nested in a delimited sidebar block**.

- List item in nested masquerading admonition block.
  - List item. This is content.
    - List item. This is content. This is content.
    - List item. This is content. This is content.

**IMPORTANT**

Paragraph 1 in a delimited example block attached to the previous list item with a list continuation. This is content. This is content.



Paragraph 2 in a delimited example block. This is content. This is content. This is content. End of nested delimited example block.

- List item. This is content. End of list.

Paragraph 2 in a masquerading admonition block. This is content. End of nested masquerading admonition block.

Paragraph in a delimited sidebar block. [Check parent sidebar anchor](#). This is content. [Check nested admonition block anchor](#). This is content. *End of sidebar.*

## Title of sidebar block with nested blocks and description list

Sidebar, at top, fits, with an anchor, title, description list, and nested blocks.

This is a delimited example block nested in a sidebar.

**TIP**

**This is an admonition nested in an example block that's nested in a sidebar block.** The Sun rotates in the opposite direction to Earth, from west to east. This may or may not affect the kitchen sink and the infinite loop every other odd week. End of nested admonition.

End of nested example.

### term 1

Description of term 1. This is content. End of term 1 description.

### term 2

**WARNING**

The description of term 2 starts with this admonition. The entire description of term 2 is attached to the term using an open block. Admonition content. End of admonition.

Description of term 2, paragraph 1, that's attached to the term using an open block. End of term 2 description.

Paragraph in a delimited sidebar block. End of sidebar.

## Title of delimited sidebar block with nested blocks

Sidebar, at top, fits, with a title and nested blocks.

Paragraph in a delimited sidebar block.

*Title of nested source block*

```
<!-- Source with an anchor and title nested in a sidebar. -->

<article>
  <div>
    <main>

      <!-- This is awesome! -->

    </main>
  </div>
</article>

<!-- End of source. -->
```

**TIP**      **This is a TIP admonition nested in a sidebar block.** The Sun rotates in the opposite direction to Earth, from west to east. This may or may not affect the kitchen sink and the infinite loop every other odd week. End of admonition.

Paragraph in a delimited sidebar block.

**IMPORTANT**      This is another admonition. End of admonition.

End of sidebar.

**Title of delimited sidebar block. This is title content. End of long sidebar title.**

Sidebar, at top, fits, with an anchor and a long title. Paragraph in a delimited sidebar block. This is title content. End of sidebar.

**Verse Blocks, At Top, Fits, See Next Page**

Verse, at top, fits.

This is the mysterious delimited verse block.

It fades into the  
fog.

ONLY TO APPEAR AGAIN!

To remind you.

That there is  
always time

for a poem.

And disco.

*End of verse.*

Verse, at top, fits, with metadata.

This is the mysterious delimited verse block.

It fades into the  
fog.

ONLY TO APPEAR AGAIN!

To remind you.

That there is  
always time

for a poem.

And disco.

*End of verse.*

— Who wrote this?, Where and when did they write this?

Verse, at top, fits, with an anchor.

This is the mysterious delimited verse block.

It fades into the  
fog.

ONLY TO APPEAR AGAIN!

To remind you.

That there is  
always time

for a poem.

And disco.

*End of verse.*

Verse, at top, fits, with an anchor and metadata.

This is the mysterious delimited verse block.

It fades into the  
fog.

ONLY TO APPEAR AGAIN!

To remind you.

That there is  
always time

for a poem.

And disco.

*End of verse.*

— Who wrote this?, Where and when did they write this?

*Title of delimited verse block*

Verse, at top, fits, with an anchor and title.

This is the mysterious delimited verse block.

It fades into the  
fog.

ONLY TO APPEAR AGAIN!

To remind you.

That there is  
always time

for a poem.

And disco.

*End of verse.*

*Title of delimited verse block*

Verse, at top, fits, with an anchor, title, and metadata.

This is the mysterious delimited verse block.

It fades into the  
fog.

ONLY TO APPEAR AGAIN!

To remind you.

That there is  
always time

for a poem.

And disco.

*End of verse.*

— Who wrote this?, Where and when did they write this?

*Title of delimited verse block with wrapping metadata*

Verse, at top, fits, with an anchor, title, and wrapping metadata.

This is the mysterious delimited verse block.

It fades into the  
fog.

ONLY TO APPEAR AGAIN!

To remind you.

That there is  
always time

for a poem.

And disco.

*End of verse.*

— Who Said This? No one knows for sure. (Are you sure? Really, I think I'm sure. You think?) But we think their name begins with a backwards Z., When and where did they say it? They said it a very, very, very, very, very, very long time ago in a jungle with a lot of birds and ants on a cool spring day in the not southern hemisphere of a little pink planet.

*Title of delimited verse block*

Verse, at top, fits, with a title.

This is the mysterious delimited verse block.

the

fog.

It fades into

ONLY TO APPEAR AGAIN!

To remind you.

That there is  
always time

for a poem.

And disco.

*End of verse.*

*Title of delimited verse block*

Verse, at top, fits, with a title and metadata.

This is the mysterious delimited verse block.

the

fog.

It fades into

ONLY TO APPEAR AGAIN!

To remind you.

That there is  
always time

for a poem.

And disco.

*End of verse.*

— Who wrote this?, Where and when did they write this?

**Table Blocks, At Top, Fits, See Next Page**

<b>Column 1, header row</b>	<b>Column 2, header row</b>
<i>Table, at top, fits.</i> Cell in column 1, row 2.	Cell in column 2, row 2
Cell in column 1, row 3	Cell in column 2, row 3
Cell in column 1, row 4	Cell in column 2, row 4
Cell in column 1, row 5	Cell in column 2, row 5. End of table.

<b>Column 1, header row</b>	<b>Column 2, header row</b>
<b>Table, at top, fits, with an anchor.</b> Cell in column 1, row 2.	Cell in column 2, row 2
Cell in column 1, row 3	Cell in column 2, row 3
Cell in column 1, row 4	Cell in column 2, row 4
Cell in column 1, row 5	Cell in column 2, row 5. End of table.

Table 1. Title of table block

Column 1, header row	Column 2, header row
Table, at top, fits, with an anchor and title. Cell in column 1, row 2.	Cell in column 2, row 2
Cell in column 1, row 3	Cell in column 2, row 3
Cell in column 1, row 4	Cell in column 2, row 4
Cell in column 1, row 5	<a href="#">Check anchor of previous table</a> . Cell in column 2, row 5. End of table.

Table 2. Title of table block

Column 1, header row	Column 2, header row
Table, at top, fits, with a title. Cell in column 1, row 2.	Cell in column 2, row 2
Cell in column 1, row 3	Cell in column 2, row 3
Cell in column 1, row 4	Cell in column 2, row 4
Cell in column 1, row 5	<a href="#">Check anchor of previous table</a> . Cell in column 2, row 5. End of table.

Column Name	Column Name
Table, at top, fits, with blocks in cells.	
This content is horizontally centered because the cell specifier includes the ^ operator.	There isn't a horizontal alignment operator on this cell specifier, so the cell falls back to the default horizontal alignment. Content is aligned to the left side of the cell by default.
This cell spans two columns, and its content is horizontally centered.	
<p><b>TIP</b>   I'm in a table cell that spans two columns! End of admonition.</p>	
<p>This cell spans two rows, and its content is aligned to the bottom because the cell specifier includes the .&gt; operator.</p> <p>This is a delimited quote block nested in a table cell.</p> <p>This is content. This is content. This is content. This is content. This is content. End of quote.</p>	<p><b>This is bold content. This is bold content. This bold content.</b></p> <p>This is content. This is content. This is content. This is content. This is content.</p>
	<p>End of table.</p>

Column Name	Column Name
<p>Table, at top, fits, with an anchor and blocks in cells.</p>	<p>Check out this example.</p> <div data-bbox="805 235 1460 627" style="border: 1px solid #ccc; padding: 10px; margin: 10px 0;"> <p>Example block nested in a table cell. This is content. This is title content. This is content.</p> <p>Paragraph in example block. This is content. This is content. This is content. This is content. End of example block.</p> </div>
<p>This content is horizontally centered because the cell specifier includes the ^ operator.</p>	<p>There isn't a horizontal alignment operator on this cell specifier, so the cell falls back to the default horizontal alignment. Content is aligned to the left side of the cell by default.</p>
<p>This cell spans two columns, and its content is horizontally centered.</p> <p><b>TIP</b>   I'm in a table cell that spans two columns! End of admonition.</p>	
<p>This cell spans two rows, and its content is aligned to the bottom because the cell specifier includes the .&gt; operator.</p> <div data-bbox="140 1131 785 1433" style="border-left: 2px solid #ccc; border-right: 2px solid #ccc; padding: 10px; margin: 10px 0;"> <p>This is a delimited quote block nested in a table cell.</p> <p>This is content. This is content. This is content. This is content. This is content. End of quote.</p> </div>	<p><b>This is bold content. This is bold content. This bold content.</b></p> <p>This is content. This is content. This is content. This is content. This is content.</p> <p>End of table.</p>


Table 3. Title of table block with nested blocks

Column Name	Column Name
<p>Table, at top, fits, with an anchor, title, and blocks in cells.</p>	<p>Check out this source code.</p> <pre data-bbox="807 286 1457 891"> &lt;!-- Delimited source block nested in table cell. --&gt;  &lt;article&gt;   &lt;div&gt;     &lt;main&gt;        &lt;!-- This is awesome! --&gt;      &lt;/main&gt;   &lt;/div&gt; &lt;/article&gt;  &lt;!-- End of source. --&gt; </pre> <p>This is content. This is content. This is content.</p>
<p>This content is horizontally centered because the cell specifier includes the ^ operator.</p>	<p>There isn't a horizontal alignment operator on this cell specifier, so the cell falls back to the default horizontal alignment. Content is aligned to the left side of the cell by default.</p>
<p>This cell spans two columns, and its content is horizontally centered.</p> <p><b>TIP</b>   I'm in a table cell that spans two columns! End of admonition.</p>	
<p>This cell spans two rows, and its content is aligned to the bottom because the cell specifier includes the .&gt; operator.</p> <p>This is a delimited quote block nested in a table cell.</p> <p>This is content. This is content. This is content. This is content. This is content. End of quote.</p>	<p><b>This is bold content. This is bold content. This bold content.</b></p> <p>This is content. This is content. This is content. This is content. This is content.</p> <p>End of table.</p>


Table 4. Title of table block with nested blocks

Column Name	Column Name
<p>Table, at top, fits, with a title and blocks in cells.</p>	<pre data-bbox="807 226 1457 546"> &lt;!-- Delimited source block nested in table cell. --&gt;    &lt;/div&gt; &lt;/article&gt;  &lt;!-- End of source. --&gt; </pre> <p data-bbox="807 577 1457 613">This is content. This is content. This is content.</p>
<p data-bbox="129 640 1463 676">This cell spans two columns (2+). Its content is horizontally centered (^).</p> <div data-bbox="137 707 1455 1292" style="background-color: #f0f0f0; padding: 10px; text-align: center;"> <p data-bbox="571 743 1023 779"><b>Title of delimited sidebar</b></p> <p data-bbox="177 819 940 855">This is a delimited sidebar block that spans two columns!</p> <p data-bbox="177 896 1417 967">Paragraph in sidebar block. This is content. This is content. This is content. This is content. This is content.</p> <p data-bbox="448 1021 1385 1093">This is a masquerading admonition block nested in a sidebar nested in a table cell that spans two columns.</p> <p data-bbox="209 1124 384 1160"><b>IMPORTANT</b></p> <p data-bbox="448 1137 1385 1254">This is content. This is content. This is content. This is content. This is content. End of masquerading admonition. End of sidebar directly following admonition closing delimiter.</p> </div>	
<p data-bbox="129 1319 794 1435">This cell spans two rows, and its content is aligned to the bottom because the cell specifier includes the <code>.&gt;</code> operator.</p> <div data-bbox="137 1467 786 1818" style="border-left: 2px solid #ccc; padding-left: 10px;"> <p data-bbox="177 1489 759 1579">This is a delimited quote block nested in a table cell.</p> <p data-bbox="177 1624 759 1713">This is content. This is content. This is content. End of quote.</p> <p data-bbox="177 1758 727 1818">— Who said this?, Where and when did they say it?</p> </div>	<p data-bbox="807 1319 1457 1391"><b>This is bold content. This is bold content. This bold content.</b></p> <p data-bbox="807 1444 1425 1516">This is content. This is content. This is content. This is content. This is content.</p> <p data-bbox="807 1588 975 1624">End of table.</p>


**Block Images, At Top, Fits, See Next Page**



Block image, at top, fits. pdfwidth = 50mm.




Block image, at top, fits, with an anchor. pdfwidth = 50mm.



*Figure 1. This is a block image with an anchor and a title*

Block image, at top, fits, with an anchor and title. pdfwidth = 70mm. [Check anchor of previous image \(block image with anchor\).](#)



*Figure 2. This is a block image with a title*

Block image, at top, fits, with a title. Width = 70mm. Check anchor of "[This is a block image with an anchor and a title](#)".

