

Chandel- Key Indicators

Indicators	DLHS-4 (2012-13)		DLHS-3 (2007-08)	
	TOTAL	RURAL	TOTAL	RURAL
Child feeding practices (based on last-born child in the reference period) (%)				
Children age 0-5 months exclusively breastfed ⁹	76.9	80.0	NA	NA
Children age 6-9 months receiving solid/semi-solid food and breast milk.....	78.6	75.0	85.9	89.3
Children age 12-23 months receiving breast feeding along with complementary feeding	31.8	24.2	NA	NA
Children age 6-35 months exclusively breastfed for at least 6 months.....	4.7	3.4	30.0	27.7
Children under 3 years breastfed within one hour of birth.....	42.9	46.5	50.6	52.9
Birth Weight (%) (age below 36 months)				
Percentage of Children weighed at birth.....	38.8	41.0	NA	NA
Percentage of Children with low birth weight (out of those who weighted) (below 2.5 kg)	12.8	14.6	NA	NA
Awareness about Diarrhoea (%)				
Women know about what to do when a child gets diarrhoea.....	96.3	96.2	94.4	94.2
Awareness about ARI (%)				
Women aware about danger signs of ARI ¹⁰	55.9	59.7	32.8	34.7
Treatment of childhood diseases (based on last two surviving children born during the reference period) (%)				
Prevalence of diarrhoea in last 2 weeks for under 5 years old children.....	1.6	1.3	6.5	7.0
Children with diarrhoea in the last 2 weeks and received ORS ¹¹	100.0	100.0	54.8	53.3
Children with diarrhoea in the last 2 weeks and sought advice/treatment	100.0	50.0	72.9	73.3
Prevalence of ARI in last 2 weeks for under 5 years old children.....	4.3	3.9	3.9	4.2
Children with acute respiratory infection or fever in last 2 weeks and sought advice/treatment	37.5	33.3	69.8	68.0
Children with diarrhoea in the last 2 weeks given Zinc along with ORS	66.6	50.0	NA	NA
Awareness of RTI/STI and HIV/AIDS (%)				
Women who have heard of RTI/STI.....	55.8	57.1	34.8	38.2
Women who have heard of HIV/AIDS.....	98.9	99.0	98.3	98.1
Women who have any symptoms of RTI/STI	13.9	13.5	15.6	16.1
Women who know the place to go for testing of HIV/AIDS ¹²	59.9	57.1	48.6	46.3
Women underwent test for detecting HIV/AIDS ¹²	37.3	36.8	14.1	12.3
Utilization of Government Health Services (%)				
Antenatal care	69.7	66.7	79.0	81.0
Treatment for pregnancy complications.....	57.1	59.3	88.0	87.8
Treatment for post-delivery complications	33.3	33.3	68.4	68.4
Treatment for vaginal discharge.....	20.0	25.0	73.9	71.4
Treatment for children with diarrhoea ¹³	50.0	100.0	NA	NA
Treatment for children with ARI ¹³	NA	NA	NA	NA
Birth Registration (%)				
Children below age 5 years having birth registration done	40.6	44.3	NA	NA
Children below age 5 years who received birth certificate (out of those registered).....	65.9	63.6	NA	NA
Personal Habits (age 15 years and above) (%)				
Men who use any kind of smokeless tobacco	74.6	74.2	NA	NA
Women who use any kind of smokeless tobacco	59.5	58.9	NA	NA
Men who smoke.....	56.0	56.4	NA	NA
Women who smoke.....	18.4	18.0	NA	NA
Men who consume alcohol.....	58.4	58.2	NA	NA
Women who consume alcohol	10.9	9.3	NA	NA

⁹ Children Who were given nothing but breast milk till the survey date ¹⁰Acute Respiratory Infections ¹¹Oral Rehydration Solutions/Salts. ¹²Based on the women who have heard of HIV/AIDS. ¹³Last two weeks